

Blood Pressure Action Plan



Keeping your blood pressure in the healthy rand an . Is simple as having a plan – and sticking to it. It is sure to with your health care professional when real modern professional when

Food for the ant

Eating you an mountrol your blood pressure. Think a lit would true section carefully for tips on making healthy choices at home, at social functions, or at restaurants.

How much salt is too much?

You have probably heard that eating low-sodium foods can lower your blood pressure. Adults are encouraged to keep their daily sodium intake to less than 2000 mg. Read nutritional labels carefully and limit your salt intake. You'll find that over time, you may develop a preference for foods with less salt. It is not uncommon to find that some processed foods or restaurant foods taste too salty after a while.

Salt/sodium intake guide per serving

	Sodium (mg)	% of Daily Value (DV)
Too much	> 360	≥ 15%
Watch out	121 – 360	6 – 14%
Go ahead	0 – 120	0 – 5%

Shopping tip

Read Nutritional Facts tables when buying groceries, and ch products that are labeled with 5% or less Daily Valle of dia and 15% or more of fibre.



The DASH Diet

The Dietary Approach to Stop Hypertension (DASH) diet is similar to Canada's Food Guide and has proven to lower blood pressure. The DASH diet emphasizes eating plenty of vegetables and fruits, low-fat milk products, whole grains, lean meats, fish, dried beans, and nuts. Following the DASH diet and limiting your sodium intake to less than 2000 mg each day is the best way to manage your blood pressure with food.

Food group	Daily serving	Examples and notes
Whole grains	6-8	Whole wheat breads, cereal, call, ripasta, quinoa, barley, low low low rackers
Vegetables	4-5	Dark green a Prang (fresh o Pizer
Fruits	4	icots inanas, ipes, oranges, g. ru nelons, oches, berries, mango
Low-fat or fat-free food	1	Skim, 1% milk, fortified soy beverage or gurt, 6-18% M.F. (milk fat) cheese
,vleats, poultry, fish	Less than 6 oz	Select only lean meats. Choose fish like char, herring, mackerel, salmon, sardines and trout. Trim away fats. Broil, roast or boil and avoid frying. Remove skin from poultry. When choosing deli meats, look for a low sodium and low fat option
Nuts, seeds, legumes	4-5 per week	Almonds, peanuts, walnuts, sunflower seeds, soybeans, lentils, chick peas, dried peas and beans, tofu
Fats and oils	2–3 tsp	Soft margarines, mayonnaise, vegetable oil (olive, corn, canola, or safflower), salad dressing
Sweets	Less than 5 tbsp per week	Sugar, jelly, jam, hard candy, ice cream, syrups, sorbet, chocolate

Quick healthy eating tips:

- Buy fresh or frozen vegetables instead of canned or packaged vegetables with added sauces.
- Choose low-sodium vegetable juices and soups.
- Choose at least three higher fibre whole grain foods per day.
- Choose products
 with higher fibre,
 lower fat, and lower
 sodium when buving
 breads, crack
 cereals bake
 processess,
 ar naces



- uy no. milk and yogurt more often than cheese.
 - Limit pacessed cheese slices and spreads.
 - Have smaller portions of meats, fish, and poultry.
- Eat a small handful of unsalted nuts and seeds several times a week.
- Limit processed, cured, smoked, or deli meats.
- Check food labels and choose sweets and snack foods with the lowest amount of sodium and saturated or trans fats.



Maintain a healthy sht

If you are overward, you can be your bloomy 10 pounds (4-5 kg) to lower your bloom are. Enso, your weight loss program is based an and diet that is reduced in calories and includes physical activity. Fin pascal activity that you enjoy and invite you fall an increase to join you. Walk and take the stairs never assible and increase your activity levels 10 minutes at a time. You'll be shocked by how quickly your body adapts a your new active lifestyle. Be sure to consult with your health care professional before beginning any exercise or weight loss program.

Refrain from smoking

Quitting smoking can significantly improve your blood pressure and heart health. It may take several attempts to quit for good – so keep trying! Consult with your health care professional to find tips and tools to help you quit smoking.



Limit alcohol consultation

Drinking more the noderate ts of alcohol can raise blood pressure by seve or and can duce the effectiveness of high him as a sedications.

- d. is fired as 5 oz (148 ml) of wine, 1.5 oz (44 ml) of dis fired alcohol (rum, vodka, rye, etc.) and 12 oz (355 ml) of beel, cider or coolers.
- Drinking no more than a maximum of two alcoholic drinks per day can lower your blood pressure.
- Consumption should not exceed 14 standard drinks per week for men and 9 per week for women.



Aim for stress-free in a

Stressful events in tives can be cell a great deal of internal anxiety. Learn to some the thin you can and cannot control. Try learning axa attechniques, exercising, setting realistic coals diffing with a ones or a therapist during particularly called the setting the setting the setting that the setting the setting the setting that the setting the setting that the setting that

reate your hypertension support system

It's normal to have questions or concerns after your hypertension diagnosis. You may even feel a little bit anxious or scared. Remember, you are not alone. Consider creating your personal hypertension support system made up of family, friends, and your health care professionals. Share this resource with your loved ones and have them create their personal action plans. You can celebrate each other's successes and support those who may be struggling.



Take your medication as prescription d

Once diagnosed any pertent nedication is almost always needed to bring nor assure with a normal range. Don't see the seal lurging not Learn about the medication you're prescribed at take an ected to reduce your risk of health complication stroke and heart disease. You may not feel differ the when taking your medication, which is a good thing pecause you're not meant to feel any different. The medication still working.


Less frequently, you may experience some side effects from medication and most diminish over time. Be patient. Stopping a medication can cause your blood pressure to rise to dangerous levels. While the medication has controlled your blood pressure, your hypertension has not been cured. Once you have hypertension, you will likely have it for the rest of your life.



Important note:

Take your medication as prescribed, and if any side effects develop, consult your health care professions.

Before taking other medications, speak volvey pharmacist about any contraindication, and contrained to your medication without any contrained to your health care rotation first



Tips for remembering to take your medication:

- Place your medication next to the cup or bowl you use for your meals, or beside your toothbrush.
- Use a "Pill Box" or Dosette® or Dispill® to organize multiple medications. You can also ask your pharmacist about "blister packs".
- Take your medication at the same time of day, every day.
 Check with your health care professional for the recommended time of day.

Prepare for check-ups and appointments ith your health care professionals:

- If you're asked to only our lood prisure at home.
 You can dove ad a blood pre log to help you at hyper ion.
- Von ser giyo he care professional, explain the real pur viole early. Do not be afraid to discuss that rorry, giyou and ask questions if you do not understand something.
 - Write down all instructions and advice your health care professional gives you.
- The questions your health care professional asks during the visit are the cornerstone of the consultation. The information you give is always useful, as it helps to assess your situation and recommend an appropriate course of action.

My Action Plan

Congratulations on creating an action plan that will improve your health! Look through the list of healthy habits listed below, and mark the box next to the ones you feel you are ready to make. Lasting lifestyle changes take time to implement, so work on making one healthy change at a time. Celebrate each successful change you make and be kind to yourself if you struggle with a few; that is perfectly normal.

I will (see previous pages for tips):

☐ Reduce my daily salt/sodium consumption.
\Box I am consuming less than 2000 mg of sodium r Hay.
☐ Eat healthy to maintain healthy blood ressu
☐ I am eating healthier.
☐ Maintain a healthy weig!
\square I am keeping α king α health weight (BMI: 20–25).
☐ Be phys: "I'v at
phy ally ve for least 30 minutes, five to six days per week
rfra on aking.
I am itting or have stopped smoking.
☐ Limit my alcohol consumption.
\square I am staying within the healthly range.
☐ Aim for stress-free living.
\square I am learning to live a more stress-free life.
\Box Take my medication(s) as prescribed.
\square I take my medication regularly as prescribed.
☐ Remember to go to my health care professional appointments.
☐ I go to my health care professional regularly for check-ups.

l will t	ake other actions such as:

Notes	s & Questions for my Doctor

Notes 8	& Questions for my Doctor

For more information, and other resources to help you prevent and control hypertension, visit **hypertension.ca**.

This brochure provides practical information based on Hypertension Canada's clinical practice guidelines for the prevention, diagnosis and treatment of hypertension.

Hypertension Canada's Resource Review Committee has reviewed the content of this brochure for accurreliability, and helpfulness to the intention at the

This brochure should not replace a sultation with, or care instructions provided by, although processionals.

If you have your sealth care professional.

